## Author Index


Abe, J.-I., see Koizumi, K. 47

Airaudo, Ch. B.
——, Gayte-Sorbier, A., Aujoulat, P. and Mercier, V.
Thin-layer chromatography of amine antioxidants and antiozonants used in elastomers 59

Anderson, S. D., see Hayes, P. C., Jr. 365

Angenot, L., see Brasseur, T. 260

Aujoulat, P., see Airaudo, Ch. B. 59

Badreldin, M. M., see Moneam, N. M. A. 316

Baker, J. O.
——, Tucker, M. Y., Lastick, S. M. and Himmel, M. E.
Degradation of ketoses during aqueous high-performance liquid chromatography on lead-form cation-exchange resins 387

Baty, J. D.
—— and Sharp, S.
Prediction of high-performance liquid chromatography capacity factors following column calibration. Influence of different solvents and columns on the separation of a series of aromatic amides 13

Baudin-Chich, V.
——, Marden, M. and Wajcman, H.
Investigation of the tetramer–dimer equilibrium in haemoglobin solutions by high-performance size-exclusion chromatography on a diol column 193

Berg, R. H. van den, see Jansen, E. H. J. M. 268

Bischoff, R., see Mazsaroff, I. 429

Black, B. H.
——, Wechter, M. A. and Hardy, D. R.
Determination of corrosion inhibitor/lubricity enhancer additives in jet fuels by size-exclusion chromatography 203

Błądek, J.
Parameters of the liquid crystal method of visualizing thin-layer chromatograms 131

Bobbitt, D. R., see Rice, P. D. 3

Bogar, R. G., see Krahn, M. M. 161

Bojkova, S. V., see Rachev, R. Ch. 287

Brandts, P. M.
——, Gelsema, W. J. and De Ligny, C. L.
Influence of additives to the eluent on the hydrophobic interaction chromatography of simple compounds. IV. Influence of electrolytes on the retention of normal alkanols at 25°C 337

Brasseur, T
——, Wauters, J.-N. and Angenot, L.
Dosage densitométrique d'hétérosides de la quercétine dans les extraits végétaux 260

Brown, D. W., see Krahn, M. M. 161

Castello, G.
—— and Gerbino, T. C.
Effect of temperature on the gas chromatographic separation of halogenated compounds on polar and non-polar stationary phases 33

Castle, L.
——, Gilbert, J., Jickells, S. M. and Gramshaw, J. W.
Analysis of the plasticiser acetyltributyl citrate in foods by stable isotope dilution gas chromatography–mass spectrometry 281
—, Sharman, M. and Gilbert, J.
Analysis of the epoxidised soya bean oil additive in plastics by gas chromatography 274

Caude, M., see Janicot, J. L. 351

Chan, S.-L., see Krahn, M. M. 161

Connolly, K. M., see Pruden, D. J. 399

Davis, P. J., see Miski, M. 436

De Ligny, C. L., see Brandts, P. M. 337

De Moerloose, P., see De Schutter, J. A. 83

De Schutter, J. A.
—— and De Moerloose, P.
Polar contributions of the stationary phase to the reversed-phase ion-pair high-performance liquid chromatographic separation of quaternary ammonium drugs 83

Dimitrova, M. P., see Rachev, R. Ch. 287

Elsharaky, A. S., see Moneam, N. M. A. 316

Enkelaar-Willemsen, C., see Jansen, E. H. J. M. 268

Ferrari, M.
—— and Verotta, L.
Centrifugal thin-layer chromatography of alkaloids from vegetable sources using an aluminium oxide layer 328

Gancheva, V. K., see Rachev, R. Ch. 287

Gayte-Sorbier, A., see Airaudo, Ch. B. 59

Gelsema, W. J., see Brandts, P. M. 337

Georgakopoulos-Gregoriades, E., see Satsmadjis, J. 254

Gerbino, T. C., see Castello, G. 33

Gilbert, J., see Castle, L. 274, 281

Gonzalez, M. D.
——, Grant, S. K., Williams, H. J. and Scott, A. I.
Analytical and preparative separation of uroporphyrin I and III by high-performance liquid chromatography 311
Gramshaw, J. W., see Castle, L. 281
Grant, S. K., see Gonzalez, M. D. 311
Groenland, W. P. Th., see Verhaar, L. A. Th. 185
Guha, O. K.
—— and Roy, J.
Gas chromatographic grade silica gel from paddy husk ash 244
Harduf, Z.
——, Nir, T. and Juven, B. J.
High-performance liquid chromatography of biogenic amines, derivatized with 9-fluorenylmethyl chloroformate 379
Hardy, D. R., see Black, B. H. 203
Hayes, P. C., Jr.
—— and Anderson, S. D.
Paraffins, olefins, naphthenes and aromatics analysis of selected hydrocarbon distillates using on-line column switching high-performance liquid chromatography with dielectric constant detection 365
Himmel, M. E., see Baker, J. O. 387
Hizukuri, S., see Koizumi, K. 47
Hoerr, D. C., see Weaner, L. E. 109
Holley, J. H., see Kitzman, J. V. 306
Horwood, J. F.
—— and Urbach, G. E.
Modification to the chromatographic behaviour of Porapak Q by chemical reaction 238
Huber, W. G., see Kitzman, J. V. 306
Hunter, K.
—— and Sharp, E. A.
Modification to procedures for the determination of chlorophacinone and for multi-residue analysis of rodenticides in animal tissues 301
Ito, Y.
—— and Zhang, T.-Y.
Multi-stage mixer–settler planet centrifuge. Preliminary studies on partition of macromolecules with organic–aqueous and aqueous–aqueous two-phase solvent systems 121
Janicot, J. L.
——, Caude, M. and Rosset, R.
Separation of opium alkaloids by carbon dioxide sub- and supercritical fluid chromatography with packed columns. Application to the quantitative analysis of poppy straw extracts 351
Jansen, E. H. J. M.
——, Van den Berg, R. H., Enkelaar-Willemsen, C. and Zomer, G.
High-performance liquid chromatography of chemiluminogenic labels with sensitive photoplate detection 268
Jenke, D. R.
Quantitation of oxalate and citrate by ion chromatography with a buffered, strong acid eluent 231
Jickells, S. M., see Castle, L. 281
Juven, B. J., see Harduf, Z. 379
Kelly, P. M.
Separation of amphotericin B components by combined thin-layer and high-performance liquid chromatography 221
Kennedy, J. F., see Lloyd, L. L. 447
Kitzman, J. V.
——, Martin, J. F., Holley, J. H. and Huber, W. G.
Determination of antipyrine in catfish plasma by high-performance liquid chromatography 306
Koizumi, K.
——, Kubota, Y., Okada, Y., Utamura, T., Hizukuri, S. and Abe, J.-I.
Retention behaviour of cyclodextrins and branched cyclodextrins on reversed-phase columns in high-performance liquid chromatography 47
Kovacheva, E., see Neicheva, A. 249
Krahn, M. M.
——, Moore, L. K., Bogar, R. G., Wigren, C. A., Chan, S.-L. and Brown, D. W.
High-performance liquid chromatographic method for isolating organic contaminants from tissue and sediment extracts 161
Kříž, J.
——, Punčochářová, J., Vodička, L. and Vařeka, J.
High-performance liquid chromatography of alkylbenzenes on alumina 177
Kubota, Y., see Koizumi, K. 47
Lastick, S. M., see Baker, J. O. 387
Ligny, C. L. de, see Brandts, P. M. 337
Lin, J. H., see Los, L. E. 442
Lloyd, L. L.
——, Warner, F. P., Kennedy, J. F. and White, C. A.
Ion suppression reversed-phase high-performance liquid chromatography method for the separation of L-ascorbic acid in fresh fruit juice 447

Los, L. E.
——, Lin, J. H. and Ulm, E. H.
Quantitative determination of L-364,718, a novel cholecystokinin antagonist, by solid-phase extraction and high-performance liquid chromatography 442
Mangani, F.
—— and Ninfali, P.
Gas chromatographic determination of acetaldehyde and acetone in human blood by purge and trap, using permeation tubes for calibration 294
Marden, M., see Baudin-Chich, V. 193
Martin, J. F., see Kitzman, J. V. 306
Marudov, G., see Neicheva, A. 249
Matsushita, A., see Suzuki, S.-I. 322
Mauri, P., see Pietta, P. 453
Mazsaroff, I.
——, Bischoff, R., Tice, P. A. and Regnier, F. E.
Influence of mobile phase pH on high-performance liquid chromatographic column loading capacity. Implications for the design of preparative protein separations 429
Mercier, V., see Airaudo, Ch. B. 59
Meuldijk, J., see Verhaar, L. A. Th. 185
Miski, M.
—— and Davis, P. J.
Gas chromatographic determination of racemic *cis*- and *trans*-chrysanthemols and their potential aldehyde and carboxylic acid microbial metabolites 436
Moerloose, P. De, see De Schutter, J. A. 83
Moneam, N. M. A.
——, Elsharaky, A. S. and Badreldin, M. M.
Biological effect of guava oestrone on uterine tissue of mice 316
Moore, L. K., see Krahn, M. M. 161
Munavalli, S.
—— and Pannella, M.
Thin-layer chromatography of mustard and its metabolites 423
Nagao, T., see Suzuki, S.-I. 322
Nakajima, K., see Suzuki, S.-I. 322
Neicheva, A.
——, Kovacheva, E. and Marudov, G.
Determination of organophosphorus pesticides in apples and water by gas–liquid chromatography with electron-capture detection 249
Neuhoff, V., see Taube, D. 411
Ninfali, P., see Mangani, F. 294
Nir, T., see Harduf, Z. 379
Okada, Y., see Koizumi, K. 47
Pannella, M., see Munavalli, S. 423
Pavlova-Rouseva, R., see Rachev, R. Ch. 287
Pietta, P.
——, Mauri, P. and Rava, A.
Reversed-phase high-performance liquid chromatographic method for the analysis of biflavones in *Ginkgo biloba* L. extracts 453
Pollak, V. A.
—— and Schulze-Clewing, J.
Pros and cons of electronic scanning in densitometry and an experimental device for their verification 97
Pruden, D. J.
——, Connolly, K. M. and Stecher, V. J.
Single-step purification of rat C-reactive protein and generation of monospecific C-reactive protein antibody 399
Punčochářová, J., see Kříž, J. 177
Rachev, R. Ch.
——, Bojkova, S. V., Pavlova-Rouseva, R., Gancheva, V. K. and Dimitrova, M. P.
Separation of gibberellins by thin-layer chromatography and gas chromatography, and possibilities for their quantitative analysis 287
Rava, A., see Pietta, P. 453
Regnier, F. E., see Mazsaroff, I. 429
Reine, A. H.
—— and Stegink, S. J.
Qualitative and quantitative thin-layer chromatographic analysis of polar lipids from leaves of glanded and glandless cotton genotypes 211
Riba, M.-L.
——, Tsiropoulos, N. and Torres, L.
Efficiency of adsorption–desorption of volatile compounds. Application to isoprene on Tenax GC 139
Rice, P. D.
—— and Bobbitt, D. R.
Linear model for the determination of solvent strength parameters in liquid–solid chromatography 3
Rodkey, L. S.
Ionic binding properties of carrier ampholytes 147
Rosset, R., see Janicot, J. L. 351
Roy, J., see Guha, O. K. 244
Satsmadjis, J.
——, Georgakopoulos-Gregoriades, E. and Voutsinou-Taliadouri, F.
Separation of organochlorines on alumina 254
Schulze-Clewing, J., see Pollak, V. A. 97
Schutter, J. A. De, see De Schutter, J. A. 83
Scott, A. I., see Gonzalez, M. D. 311
Sharman, M., see Castle, L. 274
Sharp, E. A., see Hunter, K. 301
Sharp, S., see Baty, J. D. 13

Stecher, V. J., see Pruden, D. J. 399
Stegink, S. J., see Reine, A. H. 211
Suzuki, S.-I.
——, Tsuchihashi, H., Nakajima, K., Matsushita, A. and Nagao, T.
Analyses of impurities in methamphetamine by inductively coupled plasma mass spectrometry and ion chromatography 322
Taube, D.
—— and Neuhoff, V.
Quantitative and automatic digital evaluation of one- and two-dimensional thin-layer chromatograms using vertical surface absorption at an optimum wavelength 411
Tice, P. A., see Mazsaroff, I. 429
Torres, L., see Riba, M.-L. 139
Tsiropoulos, N., see Riba, M.-L. 139
Tsuchihashi, H., see Suzuki, S.-I. 322
Tu, G., see Zhu, Y. 265
Tucker, M. Y., see Baker, J. O. 387
Ulm, E. H., see Los, L. E. 442
Urbach, G. E., see Horwood, J. F. 238
Utamura, T., see Koizumi, K. 47
Van den Berg, R. H., see Jansen, E. H. J. M. 268
Van der Wiele, K., see Verhaar, L. A. Th. 185
Vařeka, J., see Kříž, J. 177
Verhaar, L. A. Th.
——, Meuldijk, J., Groenland, W. P. Th. and Van der Wiele, K.
High-performance liquid chromatography of mixtures of phenol or guaiacol and their reaction products with glyoxylic acid 185
Verotta, L., see Ferrari, M. 328
Vodička, L., see Kříž, J. 177
Voutsinou-Taliadouri, F., see Satsmadjis, J. 254
Wajcman, H., see Baudin-Chich, V. 193
Warner, F. P., see Lloyd, L. L. 447
Wauters, J.-N., see Brasseur, T. 260
Weaner, L. E.
—— and Hoerr, D. C.
Separation of fatty acid ester and amide enantiomers by high-performance liquid chromatography on chiral stationary phases 109
Wechter, M. A., see Black, B. H. 203
White, C. A., see Lloyd, L. L. 447
Wiele, K. van der, see Verhaar, L. A. Th. 185
Wigren, C. A., see Krahn, M. M. 161
Williams, H. J., see Gonzalez, M. D. 311
Yan, K., see Zhu, Y. 265
Zhang, T.-Y., see Ito, Y. 121
Zhu, Y.
——, Yan, K. and Tu, G.
Separation and determination of homoisoflavonoids in *Ophiopogon japonicus* by reversed-phase high-performance liquid chromatography 265
Zomer, G., see Jansen, E. H. J. M. 268